

球磨川の現況流下能力算定表

| 距離標 | 計画高水流量 | 計画高水位 | 計画高水位 流下能力 | 現況流下能力 | | | | スライド堤防高-余裕高 | | | |
|--------|--------|-------|---------------|--------|--------|-------|--------|-------------|-------|------|-------|
| | | | | 左岸 | | 右岸 | | 左岸 | | 右岸 | |
| | | | | 評価高 | 流下能力 | 評価高 | 流下能力 | 評価高 | 流下能力 | 評価高 | 流下能力 |
| 0.000 | 4,000 | 3.10 | 16,826 | 3.10 | 16,826 | 3.10 | 16,826 | | | | |
| 0.200 | 4,000 | 3.17 | 17,744 | 3.17 | 17,744 | 3.17 | 17,744 | | | | |
| 0.400 | 4,000 | 3.24 | 18,662 | 3.24 | 18,662 | 3.24 | 18,662 | | | | |
| 0.600 | 4,000 | 3.31 | 19,580 | 3.31 | 19,580 | 3.31 | 19,580 | | | | |
| 0.800 | 4,000 | 3.38 | 20,498 | 3.38 | 20,498 | 3.38 | 20,498 | | | | |
| 1.000 | 4,000 | 3.46 | 21,548 | 3.46 | 21,548 | 3.46 | 21,548 | | | | |
| 1.200 | 4,000 | 3.62 | 23,646 | 3.62 | 23,646 | 3.62 | 23,646 | | | | |
| 1.400 | 4,000 | 3.78 | 18,169 | 3.78 | 18,169 | 3.78 | 18,169 | | | | |
| 1.600 | 4,000 | 3.94 | 19,556 | 3.94 | 19,556 | 3.94 | 19,556 | | | | |
| 1.800 | 4,000 | 4.09 | 14,785 | 4.09 | 14,785 | 4.09 | 14,785 | | | | |
| 2.000 | 4,000 | 4.25 | 14,277 | 4.25 | 14,277 | 4.25 | 14,277 | | | | |
| 2.200 | 4,000 | 4.41 | 12,018 | 4.41 | 12,018 | 4.41 | 12,018 | | | | |
| 2.400 | 4,000 | 4.58 | 9,519 | 4.58 | 9,519 | 4.58 | 9,519 | | | | |
| 2.600 | 4,000 | 4.75 | 10,093 | 4.75 | 10,093 | 4.75 | 10,093 | | | | |
| 2.800 | 4,000 | 4.90 | 10,082 | 4.90 | 10,082 | 4.90 | 10,082 | | | | |
| 3.000 | 4,000 | 5.06 | 8,697 | 5.06 | 8,697 | 5.06 | 8,697 | | | | |
| 3.200 | 4,000 | 5.23 | 7,481 | 5.23 | 7,481 | 5.23 | 7,481 | | | | |
| 3.400 | 4,000 | 5.40 | 7,453 | 5.40 | 7,453 | 5.40 | 7,453 | | | | |
| 3.600 | 4,000 | 5.56 | 7,529 | 5.56 | 7,529 | 5.56 | 7,529 | | | | |
| 3.800 | 4,000 | 5.73 | 7,339 | 5.73 | 7,339 | 5.73 | 7,339 | | | | |
| 4.000 | 4,500 | 5.89 | 8,224 | 5.89 | 8,224 | 5.89 | 8,224 | | | | |
| 4.200 | 4,500 | 6.06 | 8,137 | 6.06 | 8,137 | 6.06 | 8,137 | | | | |
| 4.400 | 4,500 | 6.21 | 6,756 | 6.21 | 6,756 | 6.21 | 6,756 | | | | |
| 4.600 | 4,500 | 6.41 | 6,938 | 6.41 | 6,938 | 6.41 | 6,938 | | | | |
| 4.800 | 4,500 | 6.60 | 6,637 | 6.60 | 6,637 | 6.60 | 6,637 | | | | |
| 5.000 | 4,500 | 6.80 | 6,507 | 6.80 | 6,507 | 6.80 | 6,507 | | | | |
| 5.200 | 4,500 | 6.99 | 6,322 | 6.99 | 6,322 | 6.99 | 6,322 | | | | |
| 5.400 | 4,500 | 7.19 | 6,428 | 7.19 | 6,428 | 7.19 | 6,428 | | | | |
| 5.600 | 4,500 | 7.39 | 6,179 | 7.39 | 6,179 | 7.39 | 6,179 | | | | |
| 5.800 | 4,500 | 7.59 | 6,031 | 7.59 | 6,031 | 7.59 | 6,031 | | | | |
| 6.000 | 4,500 | 7.78 | 5,890 | 7.78 | 5,890 | 7.78 | 5,890 | | | | |
| 6.200 | 4,500 | 7.98 | 5,529 | 7.98 | 5,529 | 7.98 | 5,529 | | | | |
| 6.400 | 7,900 | 8.22 | 9,214 | 8.22 | 9,214 | 8.22 | 9,214 | | | | |
| 6.600 | 7,900 | 8.42 | 7,739 | 8.42 | 7,739 | 8.42 | 7,739 | | | | |
| 6.800 | 7,900 | 8.62 | 7,468 | 8.62 | 7,468 | 8.62 | 7,468 | | | | |
| 7.000 | 7,900 | 8.81 | 7,627 | 8.81 | 7,627 | 8.81 | 7,627 | | | | |
| 7.200 | 7,900 | 9.03 | 7,966 | 9.03 | 7,966 | 9.03 | 7,966 | | | | |
| 7.400 | 7,900 | 9.25 | 8,341 | 9.25 | 8,341 | 9.25 | 8,341 | 9.25 | 8,341 | 8.70 | 7,273 |
| 7.600 | 7,900 | 9.48 | 8,577 | 9.48 | 8,577 | 9.48 | 8,577 | 9.48 | 8,577 | 8.70 | 6,911 |
| 7.800 | 7,900 | 9.70 | 9,113 | 9.70 | 9,113 | 9.70 | 9,113 | | | | |
| 8.000 | 7,900 | 9.92 | 9,437 | 9.92 | 9,437 | 9.92 | 9,437 | | | | |
| 8.200 | 7,900 | 10.16 | 10,620 | 10.16 | 10,620 | 10.16 | 10,620 | | | | |
| 8.400 | 7,900 | 10.36 | 10,067 | 10.36 | 10,067 | 10.36 | 10,067 | | | | |
| 8.600 | 7,900 | 10.59 | 11,272 | 10.59 | 11,272 | 10.59 | 11,272 | | | | |
| 8.800 | 7,900 | 11.06 | 10,159 | 11.06 | 10,159 | 11.06 | 10,159 | | | | |
| 9.000 | 7,900 | 13.88 | 16,421 | - | - | - | - | | | | |
| 9.200 | 7,900 | 14.10 | 13,881 | - | - | - | - | | | | |
| 9.400 | 7,900 | 14.32 | 11,808 | - | - | - | - | | | | |
| 9.600 | 7,900 | 14.61 | 15,171 | - | - | - | - | | | | |
| 9.800 | 7,900 | 14.88 | 10,253 | - | - | - | - | | | | |
| 10.000 | 7,900 | 15.15 | 9,193 | - | - | - | - | | | | |
| 10.200 | 7,900 | 15.42 | 9,089 | 13.60 | 6,630 | - | - | | | | |
| 10.400 | 7,900 | 15.70 | 10,670 | 15.70 | 10,670 | - | - | | | | |
| 10.600 | 7,900 | 15.96 | 9,834 | 15.96 | 9,834 | - | - | | | | |
| 10.800 | 7,900 | 16.21 | 9,428 | 16.21 | 9,428 | 16.21 | 9,428 | | | | |
| 11.000 | 7,900 | 16.49 | 9,673 | 16.49 | 9,673 | 16.49 | 9,673 | | | | |
| 11.200 | 7,900 | 16.82 | 9,667 | - | - | - | - | | | | |
| 11.400 | 7,900 | 17.06 | 10,141 | - | - | 17.06 | 10,141 | | | | |
| 11.600 | 7,900 | 17.33 | 9,830 | - | - | 17.33 | 9,830 | | | | |
| 11.800 | 7,900 | 17.59 | 10,109 | - | - | 17.59 | 10,109 | | | | |
| 12.000 | 7,900 | 17.86 | 10,282 | - | - | 17.86 | 10,282 | | | | |
| 12.200 | 7,900 | 18.12 | 10,455 | - | - | 18.12 | 10,455 | | | | |
| 12.400 | 7,900 | 18.39 | 9,055 | - | - | - | - | | | | |
| 12.600 | 7,900 | 18.67 | 9,390 | - | - | - | - | | | | |
| 12.800 | 7,900 | 18.92 | 9,278 | - | - | - | - | | | | |
| 13.000 | 7,900 | 19.22 | 9,335 | - | - | - | - | | | | |
| 13.200 | 7,900 | 19.47 | 8,412 | - | - | - | - | | | | |
| 13.400 | 7,200 | 19.77 | 6,980 | - | - | - | - | | | | |
| 13.600 | 7,200 | 20.06 | 7,526 | - | - | - | - | | | | |
| 13.800 | 7,200 | 20.33 | 7,819 | - | - | - | - | | | | |
| 14.000 | 7,200 | 20.58 | 7,793 | - | - | - | - | | | | |
| 14.200 | 7,200 | 20.88 | 7,239 | - | - | - | - | | | | |
| 14.400 | 7,200 | 21.13 | 7,834 | - | - | - | - | | | | |
| 14.600 | 7,200 | 21.40 | 7,248 | - | - | - | - | | | | |
| 14.800 | 7,200 | 21.67 | 7,319 | - | - | - | - | | | | |
| 15.000 | 7,200 | 21.95 | 7,690 | - | - | - | - | | | | |
| 15.200 | 7,200 | 22.20 | 7,366 | - | - | - | - | | | | |
| 15.400 | 7,200 | 22.47 | 7,654 | - | - | - | - | | | | |
| 15.600 | 7,200 | 22.74 | 7,314 | - | - | - | - | | | | |
| 15.800 | 7,200 | 22.99 | 7,950 | - | - | - | - | | | | |
| 16.000 | 7,200 | 23.27 | 7,250 | - | - | - | - | | | | |
| 16.200 | 7,200 | 23.53 | 7,329 | - | - | - | - | | | | |
| 16.400 | 7,000 | 23.81 | 7,126 | - | - | 23.81 | 7,126 | | | | |
| 16.600 | 7,000 | 24.10 | 7,685 | - | - | 24.10 | 7,685 | | | | |
| 16.800 | 7,000 | 24.38 | 7,131 | - | - | 24.38 | 7,131 | | | | |
| 17.000 | 7,000 | 24.65 | 6,807 | - | - | 24.65 | 6,807 | | | | |
| 17.200 | 7,000 | 24.93 | 6,794 | 24.93 | 6,794 | 24.93 | 6,794 | | | | |
| 17.400 | 7,000 | 25.16 | 6,891 | 25.16 | 6,891 | - | - | | | | |
| 17.600 | 7,000 | 25.44 | 7,314 | 25.44 | 7,314 | - | - | | | | |
| 17.800 | 7,000 | 25.70 | 6,864 | 25.70 | 6,864 | - | - | | | | |
| 18.000 | 7,000 | 25.94 | 7,069 | 25.94 | 7,069 | 25.94 | 7,069 | | | | |
| 18.200 | 7,000 | 26.22 | 7,253 | 26.22 | 7,253 | 26.22 | 7,253 | | | | |
| 18.400 | 7,000 | 26.52 | 7,329 | - | - | 26.52 | 7,329 | | | | |
| 18.600 | 7,000 | 26.81 | 7,109 | - | - | 26.81 | 7,109 | | | | |
| 18.800 | 7,000 | 27.08 | 7,025 | - | - | 27.08 | 7,025 | | | | |
| 19.000 | 7,000 | 27.34 | 6,633 | - | - | 27.34 | 6,633 | | | | |
| 19.200 | 7,000 | 27.64 | 6,694 | 27.64 | 6,694 | 27.64 | 6,694 | | | | |

●球磨川では河川整備計画が定まっていないため、この資料は実施してきた事業あるいは当面実施予定の事業の効果の確認などに用いる値をまとめたものであり、あくまで参考資料である。

球磨川の現況流下能力算定表

| 距離標 | 計画高水流量 | 計画高水位 | 計画高水位 流下能力 | 現況流下能力 | | | | スライド堤防高-余裕高 | | | |
|--------|--------|-------|---------------|--------|-------|-------|-------|-------------|------|-----|------|
| | | | | 左岸 | | 右岸 | | 左岸 | | 右岸 | |
| | | | | 評価高 | 流下能力 | 評価高 | 流下能力 | 評価高 | 流下能力 | 評価高 | 流下能力 |
| 19.400 | 7.000 | 27.96 | 7.019 | 27.15 | 6.311 | 27.96 | 7.019 | | | | |
| 19.600 | 7.000 | 28.26 | 7.050 | 28.26 | 7.050 | - | - | | | | |
| 19.800 | 7.000 | 28.50 | 7.123 | 28.50 | 7.123 | - | - | | | | |
| 20.000 | 7.000 | 34.19 | 11.374 | - | - | - | - | | | | |
| 20.200 | 7.000 | 34.19 | 10.663 | - | - | - | - | | | | |
| 20.400 | 7.000 | 34.19 | 9.883 | - | - | 34.19 | 9.883 | | | | |
| 20.600 | 7.000 | 34.19 | 9.426 | - | - | 34.19 | 9.426 | | | | |
| 20.800 | 7.000 | 34.19 | 8.748 | - | - | 34.19 | 8.748 | | | | |
| 21.000 | 7.000 | 34.19 | 8.188 | - | - | - | - | | | | |
| 21.200 | 7.000 | 34.37 | 8.195 | 34.37 | 8.195 | 34.37 | 8.195 | | | | |
| 21.400 | 6.800 | 34.54 | 8.441 | - | - | 34.54 | 8.441 | | | | |
| 21.600 | 6.800 | 34.71 | 8.731 | - | - | 34.71 | 8.731 | | | | |
| 21.800 | 6.800 | 34.89 | 8.355 | - | - | - | - | | | | |
| 22.000 | 6.800 | 35.06 | 8.491 | 35.06 | 8.491 | - | - | | | | |
| 22.200 | 6.800 | 35.24 | 8.080 | 35.24 | 8.080 | - | - | | | | |
| 22.400 | 6.800 | 35.54 | 7.638 | - | - | - | - | | | | |
| 22.600 | 6.800 | 35.78 | 7.717 | - | - | 35.78 | 7.717 | | | | |
| 22.800 | 6.800 | 36.04 | 7.617 | - | - | - | - | | | | |
| 23.000 | 6.800 | 36.31 | 7.555 | 36.31 | 7.555 | - | - | | | | |
| 23.200 | 6.800 | 36.58 | 7.956 | 36.58 | 7.956 | - | - | | | | |
| 23.400 | 6.800 | 36.84 | 7.883 | - | - | - | - | | | | |
| 23.600 | 6.800 | 37.13 | 7.778 | - | - | - | - | | | | |
| 23.800 | 6.800 | 37.39 | 7.407 | - | - | 37.39 | 7.407 | | | | |
| 24.000 | 6.800 | 37.67 | 7.411 | - | - | 37.67 | 7.411 | | | | |
| 24.200 | 6.800 | 37.92 | 6.815 | - | - | 37.92 | 6.815 | | | | |
| 24.400 | 6.800 | 38.19 | 6.684 | 35.75 | 4.849 | 38.19 | 6.684 | | | | |
| 24.600 | 6.800 | 38.42 | 6.638 | 37.94 | 6.265 | 38.42 | 6.638 | | | | |
| 24.800 | 6.800 | 38.66 | 6.721 | 37.77 | 6.030 | 38.66 | 6.721 | | | | |
| 25.000 | 6.800 | 38.97 | 6.784 | 38.97 | 6.784 | - | - | | | | |
| 25.200 | 6.800 | 39.24 | 6.753 | - | - | 38.38 | 6.084 | | | | |
| 25.400 | 6.800 | 39.48 | 7.207 | - | - | 38.37 | 6.318 | | | | |
| 25.600 | 6.800 | 39.77 | 6.573 | - | - | 39.77 | 6.573 | | | | |
| 25.800 | 6.800 | 40.02 | 6.501 | - | - | 40.02 | 6.501 | | | | |
| 26.000 | 6.800 | 40.32 | 6.318 | - | - | 40.32 | 6.318 | | | | |
| 26.200 | 6.600 | 40.74 | 6.289 | - | - | - | - | | | | |
| 26.400 | 6.600 | 41.18 | 6.038 | - | - | - | - | | | | |
| 26.600 | 6.600 | 41.64 | 6.429 | - | - | - | - | | | | |
| 26.800 | 6.600 | 42.08 | 6.926 | - | - | - | - | | | | |
| 27.000 | 6.600 | 42.57 | 6.741 | - | - | - | - | | | | |
| 27.200 | 6.600 | 43.04 | 6.738 | - | - | - | - | | | | |
| 27.400 | 6.600 | 43.48 | 6.638 | - | - | - | - | | | | |
| 27.600 | 6.600 | 43.93 | 6.538 | - | - | - | - | | | | |
| 27.800 | 6.600 | 44.41 | 6.556 | - | - | - | - | | | | |
| 28.000 | 6.600 | 44.92 | 7.192 | - | - | - | - | | | | |
| 28.200 | 6.600 | 45.39 | 6.926 | - | - | - | - | | | | |
| 28.400 | 6.600 | 45.89 | 6.758 | - | - | - | - | | | | |
| 28.600 | 6.600 | 46.35 | 7.504 | - | - | - | - | | | | |
| 28.800 | 6.600 | 46.71 | 6.916 | - | - | - | - | | | | |
| 29.000 | 6.600 | 50.05 | 8.225 | - | - | - | - | | | | |
| 29.200 | 6.600 | 50.17 | 7.981 | - | - | - | - | | | | |
| 29.400 | 6.600 | 50.28 | 7.874 | - | - | - | - | | | | |
| 29.600 | 6.600 | 50.40 | 7.764 | - | - | - | - | | | | |
| 29.800 | 6.600 | 50.52 | 7.523 | - | - | - | - | | | | |
| 30.000 | 6.600 | 50.65 | 7.472 | - | - | - | - | | | | |
| 30.200 | 6.600 | 50.77 | 7.866 | - | - | - | - | | | | |
| 30.400 | 6.600 | 50.89 | 7.082 | - | - | - | - | | | | |
| 30.600 | 6.600 | 50.99 | 7.298 | - | - | - | - | | | | |
| 30.800 | 6.600 | 51.11 | 7.209 | - | - | - | - | | | | |
| 31.000 | 6.600 | 51.23 | 6.948 | - | - | - | - | | | | |
| 31.200 | 6.500 | 51.35 | 6.948 | - | - | - | - | | | | |
| 31.400 | 6.500 | 51.48 | 6.561 | - | - | - | - | | | | |
| 31.600 | 6.500 | 51.60 | 6.842 | - | - | - | - | | | | |
| 31.800 | 6.500 | 51.72 | 6.373 | - | - | - | - | | | | |
| 32.000 | 6.500 | 51.84 | 6.074 | - | - | - | - | | | | |
| 32.200 | 6.500 | 51.97 | 5.937 | - | - | - | - | | | | |
| 32.400 | 6.500 | 52.08 | 6.048 | - | - | - | - | | | | |
| 32.600 | 6.500 | 52.40 | 6.142 | - | - | - | - | | | | |
| 32.800 | 6.500 | 52.75 | 5.688 | - | - | - | - | | | | |
| 33.000 | 6.500 | 53.04 | 5.708 | - | - | - | - | | | | |
| 33.200 | 6.500 | 53.39 | 5.818 | - | - | - | - | | | | |
| 33.400 | 6.500 | 53.71 | 5.825 | - | - | - | - | | | | |
| 33.600 | 6.500 | 54.05 | 5.816 | - | - | - | - | | | | |
| 33.800 | 6.500 | 54.40 | 6.021 | - | - | - | - | | | | |
| 34.000 | 6.500 | 54.68 | 6.146 | - | - | - | - | | | | |
| 34.200 | 6.500 | 55.00 | 5.972 | - | - | - | - | | | | |
| 34.400 | 6.400 | 55.39 | 5.692 | - | - | - | - | | | | |
| 34.600 | 6.400 | 55.72 | 5.847 | - | - | - | - | | | | |
| 34.800 | 6.400 | 56.04 | 5.805 | - | - | - | - | | | | |
| 35.000 | 6.400 | 56.38 | 5.946 | - | - | - | - | | | | |
| 35.200 | 6.400 | 56.72 | 5.965 | - | - | - | - | | | | |
| 35.400 | 6.400 | 57.06 | 6.271 | - | - | - | - | | | | |
| 35.600 | 6.400 | 57.41 | 6.258 | - | - | - | - | | | | |
| 35.800 | 6.400 | 57.75 | 6.352 | - | - | - | - | | | | |
| 36.000 | 6.400 | 58.11 | 7.009 | - | - | - | - | | | | |
| 36.200 | 6.400 | 58.42 | 6.385 | - | - | 58.42 | 6.385 | | | | |
| 36.400 | 6.400 | 58.74 | 6.443 | - | - | 58.74 | 6.443 | | | | |
| 36.600 | 6.300 | 59.07 | 6.461 | - | - | 59.07 | 6.461 | | | | |
| 36.800 | 6.300 | 59.41 | 6.558 | - | - | 59.41 | 6.558 | | | | |
| 37.000 | 6.300 | 59.82 | 6.272 | - | - | 59.82 | 6.272 | | | | |
| 37.200 | 6.300 | 60.13 | 6.392 | - | - | 60.13 | 6.392 | | | | |
| 37.400 | 6.300 | 60.50 | 6.316 | - | - | 60.50 | 6.316 | | | | |
| 37.600 | 6.300 | 60.88 | 6.388 | - | - | 60.88 | 6.388 | | | | |
| 37.800 | 6.300 | 61.24 | 6.414 | - | - | 61.24 | 6.414 | | | | |
| 38.000 | 6.300 | 61.62 | 6.528 | 61.62 | 6.528 | - | - | | | | |
| 38.200 | 6.300 | 61.98 | 6.288 | 61.98 | 6.288 | - | - | | | | |
| 38.400 | 6.300 | 62.37 | 6.462 | - | - | - | - | | | | |
| 38.600 | 6.300 | 62.68 | 6.936 | - | - | - | - | | | | |
| 38.800 | 6.300 | 63.03 | 6.202 | - | - | - | - | | | | |

●球磨川では河川整備計画が定まっていないため、この資料は実施してきた事業あるいは当面実施予定の事業の効果の確認などに用いる値をまとめたものであり、あくまで参考資料である。

球磨川の現況流下能力算定表

| 距離標 | 計画高水流量 | 計画高水位 | 計画高水位 | 現況流下能力 | | | | スライド堤防高-余裕高 | | | |
|--------|--------|--------|-------|--------|-------|--------|-------|-------------|------|-----|------|
| | | | | 左岸 | | 右岸 | | 左岸 | | 右岸 | |
| | | | | 評価高 | 流下能力 | 評価高 | 流下能力 | 評価高 | 流下能力 | 評価高 | 流下能力 |
| 39.000 | 6.300 | 63.34 | 6.350 | - | - | - | - | - | - | - | - |
| 39.200 | 6.300 | 63.66 | 6.473 | - | - | - | - | - | - | - | - |
| 39.400 | 6.300 | 63.96 | 6.772 | - | - | - | - | - | - | - | - |
| 39.600 | 6.200 | 64.36 | 6.373 | 64.36 | 6.373 | - | - | - | - | - | - |
| 39.800 | 6.200 | 64.73 | 6.643 | - | - | - | - | - | - | - | - |
| 40.000 | 6.200 | 65.01 | 6.543 | - | - | - | - | - | - | - | - |
| 40.200 | 6.200 | 65.35 | 6.785 | - | - | - | - | - | - | - | - |
| 40.400 | 6.200 | 65.63 | 6.955 | - | - | - | - | - | - | - | - |
| 40.600 | 6.200 | 65.97 | 6.115 | - | - | - | - | - | - | - | - |
| 40.800 | 6.200 | 66.47 | 5.874 | - | - | - | - | - | - | - | - |
| 41.000 | 6.200 | 66.77 | 6.026 | 66.77 | 6.026 | - | - | - | - | - | - |
| 41.200 | 6.200 | 67.15 | 6.312 | - | - | - | - | - | - | - | - |
| 41.400 | 6.200 | 67.53 | 6.591 | - | - | - | - | - | - | - | - |
| 41.600 | 6.200 | 67.99 | 6.177 | - | - | - | - | - | - | - | - |
| 41.800 | 6.200 | 68.31 | 6.083 | - | - | - | - | - | - | - | - |
| 42.000 | 6.200 | 68.73 | 6.074 | 68.73 | 6.074 | - | - | - | - | - | - |
| 42.200 | 6.200 | 69.19 | 6.655 | - | - | - | - | - | - | - | - |
| 42.400 | 6.200 | 69.90 | 6.570 | - | - | - | - | - | - | - | - |
| 42.600 | 6.200 | 70.33 | 6.713 | - | - | - | - | - | - | - | - |
| 42.800 | 6.200 | 70.91 | 6.265 | - | - | - | - | - | - | - | - |
| 43.000 | 6.200 | 71.34 | 6.332 | - | - | - | - | - | - | - | - |
| 43.200 | 6.200 | 71.66 | 6.673 | 71.66 | 6.673 | - | - | - | - | - | - |
| 43.400 | 6.200 | 72.12 | 5.905 | - | - | - | - | - | - | - | - |
| 43.600 | 6.200 | 72.41 | 5.673 | - | - | - | - | - | - | - | - |
| 43.800 | 6.200 | 72.81 | 5.890 | - | - | - | - | - | - | - | - |
| 44.000 | 6.200 | 73.19 | 6.258 | - | - | - | - | - | - | - | - |
| 44.200 | 6.200 | 73.85 | 5.809 | - | - | - | - | - | - | - | - |
| 44.400 | 6.200 | 74.32 | 5.705 | - | - | - | - | - | - | - | - |
| 44.600 | 6.200 | 74.67 | 5.753 | - | - | - | - | - | - | - | - |
| 44.800 | 6.200 | 74.99 | 6.197 | - | - | - | - | - | - | - | - |
| 45.000 | 6.200 | 75.48 | 6.124 | - | - | - | - | - | - | - | - |
| 45.200 | 6.200 | 76.07 | 6.068 | - | - | - | - | - | - | - | - |
| 45.400 | 6.200 | 76.43 | 5.842 | - | - | - | - | - | - | - | - |
| 45.600 | 6.200 | 77.00 | 6.291 | - | - | - | - | - | - | - | - |
| 45.800 | 6.200 | 77.48 | 6.418 | 77.48 | 6.418 | - | - | - | - | - | - |
| 46.000 | 6.200 | 77.90 | 6.576 | - | - | - | - | - | - | - | - |
| 46.200 | 6.200 | 78.50 | 6.638 | - | - | - | - | - | - | - | - |
| 46.400 | 6.200 | 78.99 | 7.036 | - | - | - | - | - | - | - | - |
| 46.600 | 6.200 | 79.42 | 6.484 | - | - | - | - | - | - | - | - |
| 46.800 | 6.200 | 80.04 | 6.209 | - | - | - | - | - | - | - | - |
| 47.000 | 6.200 | 80.48 | 6.633 | 80.48 | 6.633 | - | - | - | - | - | - |
| 47.200 | 6.200 | 80.96 | 6.830 | - | - | - | - | - | - | - | - |
| 47.400 | 6.200 | 81.42 | 6.454 | - | - | - | - | - | - | - | - |
| 47.600 | 6.200 | 81.83 | 6.249 | 81.83 | 6.249 | - | - | - | - | - | - |
| 47.800 | 6.200 | 82.43 | 6.669 | 82.43 | 6.669 | - | - | - | - | - | - |
| 48.000 | 5.700 | 82.87 | 6.012 | 82.87 | 6.012 | 82.87 | 6.012 | - | - | - | - |
| 48.200 | 5.700 | 83.37 | 6.027 | 83.37 | 6.027 | - | - | - | - | - | - |
| 48.400 | 5.700 | 83.83 | 6.109 | 83.83 | 6.109 | - | - | - | - | - | - |
| 48.600 | 5.700 | 84.23 | 5.766 | - | - | - | - | - | - | - | - |
| 48.800 | 5.700 | 84.72 | 6.234 | - | - | - | - | - | - | - | - |
| 49.000 | 5.700 | 85.26 | 5.336 | - | - | - | - | - | - | - | - |
| 49.200 | 5.700 | 85.78 | 5.261 | - | - | - | - | - | - | - | - |
| 49.400 | 5.700 | 86.15 | 4.744 | - | - | - | - | - | - | - | - |
| 49.600 | 5.700 | 86.52 | 4.714 | - | - | - | - | - | - | - | - |
| 49.800 | 5.700 | 87.05 | 5.458 | - | - | - | - | - | - | - | - |
| 50.000 | 5.700 | 87.61 | 5.481 | - | - | - | - | - | - | - | - |
| 50.200 | 5.700 | 88.08 | 5.619 | - | - | - | - | - | - | - | - |
| 50.400 | 5.700 | 88.50 | 5.562 | - | - | - | - | - | - | - | - |
| 50.600 | 5.700 | 89.01 | 5.740 | - | - | - | - | - | - | - | - |
| 50.800 | 5.500 | 89.55 | 5.222 | - | - | - | - | - | - | - | - |
| 51.000 | 5.500 | 90.08 | 5.476 | - | - | - | - | - | - | - | - |
| 51.200 | 5.500 | 90.50 | 5.549 | - | - | - | - | - | - | - | - |
| 51.400 | 5.500 | 90.98 | 5.629 | - | - | - | - | - | - | - | - |
| 51.600 | 5.500 | 91.54 | 5.498 | - | - | - | - | - | - | - | - |
| 51.800 | 5.500 | 92.05 | 5.667 | - | - | - | - | - | - | - | - |
| 52.000 | 5.500 | 92.45 | 5.681 | - | - | - | - | - | - | - | - |
| 52.200 | 5.500 | 92.91 | 5.607 | - | - | - | - | - | - | - | - |
| 52.400 | 5.500 | 94.09 | 6.023 | - | - | 94.09 | 6.023 | - | - | - | - |
| 52.600 | 5.500 | 94.50 | 6.584 | - | - | 94.50 | 6.584 | - | - | - | - |
| 52.800 | 5.500 | 94.66 | 5.822 | - | - | 94.66 | 5.822 | - | - | - | - |
| 53.000 | 5.500 | 94.83 | 5.748 | - | - | 94.83 | 5.748 | - | - | - | - |
| 53.200 | 5.400 | 95.00 | 5.502 | 95.00 | 5.502 | 95.00 | 5.502 | - | - | - | - |
| 53.400 | 5.400 | 95.14 | 5.574 | - | - | 95.14 | 5.574 | - | - | - | - |
| 53.600 | 5.300 | 95.34 | 5.486 | - | - | 95.34 | 5.486 | - | - | - | - |
| 53.800 | 5.300 | 95.52 | 5.666 | - | - | 95.52 | 5.666 | - | - | - | - |
| 54.000 | 5.300 | 95.69 | 5.546 | - | - | 95.69 | 5.546 | - | - | - | - |
| 54.200 | 5.300 | 95.87 | 5.525 | - | - | 95.87 | 5.525 | - | - | - | - |
| 54.400 | 5.300 | 96.05 | 5.652 | - | - | 96.05 | 5.652 | - | - | - | - |
| 54.600 | 5.300 | 96.23 | 5.353 | 96.23 | 5.353 | 96.23 | 5.353 | - | - | - | - |
| 54.800 | 5.300 | 96.38 | 5.395 | - | - | 96.38 | 5.395 | - | - | - | - |
| 55.000 | 5.300 | 96.55 | 5.104 | - | - | 96.55 | 5.104 | - | - | - | - |
| 55.200 | 5.300 | 96.73 | 5.302 | 96.73 | 5.302 | 96.73 | 5.302 | - | - | - | - |
| 55.400 | 5.300 | 96.91 | 5.361 | 96.91 | 5.361 | - | - | - | - | - | - |
| 55.600 | 5.300 | 97.07 | 5.513 | 97.07 | 5.513 | - | - | - | - | - | - |
| 55.800 | 5.300 | 97.25 | 5.359 | 97.25 | 5.359 | - | - | - | - | - | - |
| 56.000 | 5.200 | 97.43 | 4.937 | 97.43 | 4.937 | - | - | - | - | - | - |
| 56.200 | 5.200 | 97.59 | 4.759 | 97.59 | 4.759 | 97.59 | 4.759 | - | - | - | - |
| 56.400 | 5.200 | 97.75 | 4.826 | 97.75 | 4.826 | 97.75 | 4.826 | - | - | - | - |
| 56.600 | 5.200 | 97.93 | 4.954 | 97.93 | 4.954 | 97.93 | 4.954 | - | - | - | - |
| 56.800 | 5.200 | 98.10 | 4.844 | 98.10 | 4.844 | 98.10 | 4.844 | - | - | - | - |
| 57.000 | 5.200 | 98.36 | 5.110 | 98.36 | 5.110 | 98.36 | 5.110 | - | - | - | - |
| 57.200 | 5.200 | 98.59 | 5.034 | 98.59 | 5.034 | 98.59 | 5.034 | - | - | - | - |
| 57.400 | 5.200 | 98.83 | 4.889 | 98.83 | 4.889 | 98.83 | 4.889 | - | - | - | - |
| 57.600 | 5.200 | 99.08 | 4.900 | 99.08 | 4.900 | 99.08 | 4.900 | - | - | - | - |
| 57.800 | 4.800 | 99.32 | 4.478 | 99.32 | 4.478 | 99.32 | 4.478 | - | - | - | - |
| 58.000 | 4.800 | 99.59 | 4.517 | - | - | 99.59 | 4.517 | - | - | - | - |
| 58.200 | 4.800 | 99.84 | 4.475 | 99.84 | 4.475 | 99.84 | 4.475 | - | - | - | - |
| 58.400 | 4.800 | 100.07 | 4.632 | 100.07 | 4.632 | 100.07 | 4.632 | - | - | - | - |
| 58.600 | 4.800 | 100.29 | 4.569 | 100.29 | 4.569 | 100.29 | 4.569 | - | - | - | - |
| 58.800 | 4.400 | 100.53 | 4.022 | 100.53 | 4.022 | 100.53 | 4.022 | - | - | - | - |

●球磨川では河川整備計画が定まっていないため、この資料は実施してきた事業あるいは当面実施予定の事業の効果の確認などに用いる値をまとめたものであり、あくまで参考資料である。

球磨川の現況流下能力算定表

| 距離標 | 計画高水流量 | 計画高水位 | 計画高水位 流下能力 | 現況流下能力 | | | | スライド堤防高-余裕高 | | | |
|--------|--------|--------|---------------|--------|-------|--------|-------|-------------|------|-----|------|
| | | | | 左岸 | | 右岸 | | 左岸 | | 右岸 | |
| | | | | 評価高 | 流下能力 | 評価高 | 流下能力 | 評価高 | 流下能力 | 評価高 | 流下能力 |
| 59.000 | 4.400 | 100.75 | 4.048 | 100.75 | 4.048 | 100.75 | 4.048 | | | | |
| 59.200 | 4.400 | 100.96 | 4.026 | 100.96 | 4.026 | 100.96 | 4.026 | | | | |
| 59.400 | 4.400 | 101.23 | 3.957 | 101.23 | 3.957 | 101.23 | 3.957 | | | | |
| 59.600 | 4.400 | 101.43 | 3.973 | - | - | 101.43 | 3.973 | | | | |
| 59.800 | 4.400 | 101.65 | 3.981 | 101.65 | 3.981 | 101.65 | 3.981 | | | | |
| 60.000 | 4.400 | 101.91 | 4.155 | 101.91 | 4.155 | 101.91 | 4.155 | | | | |
| 60.200 | 4.400 | 102.20 | 4.259 | 102.20 | 4.259 | 102.20 | 4.259 | | | | |
| 60.400 | 4.400 | 102.54 | 4.136 | 102.54 | 4.136 | 102.54 | 4.136 | | | | |
| 60.600 | 4.400 | 102.89 | 4.281 | 102.89 | 4.281 | 102.89 | 4.281 | | | | |
| 60.800 | 4.400 | 103.21 | 4.499 | 103.21 | 4.499 | 103.21 | 4.499 | | | | |
| 61.000 | 4.400 | 103.54 | 4.522 | 103.54 | 4.522 | 103.54 | 4.522 | | | | |
| 61.200 | 4.400 | 103.93 | 4.140 | 103.93 | 4.140 | 103.93 | 4.140 | | | | |
| 61.400 | 4.300 | 104.28 | 4.017 | 104.28 | 4.017 | 104.28 | 4.017 | | | | |
| 61.600 | 4.000 | 104.60 | 3.642 | 104.60 | 3.642 | 104.60 | 3.642 | | | | |
| 61.800 | 4.000 | 104.98 | 3.605 | 104.98 | 3.605 | 104.98 | 3.605 | | | | |
| 62.000 | 4.000 | 105.29 | 3.875 | 105.29 | 3.875 | 105.29 | 3.875 | | | | |
| 62.200 | 4.000 | 105.73 | 3.813 | - | - | 105.73 | 3.813 | | | | |
| 62.400 | 4.000 | 106.12 | 3.850 | - | - | 106.12 | 3.850 | | | | |
| 62.600 | 4.000 | 106.48 | 3.774 | - | - | 106.48 | 3.774 | | | | |
| 62.800 | 4.000 | 106.92 | 3.318 | 106.92 | 3.318 | 106.92 | 3.318 | | | | |
| 63.000 | 4.000 | 107.34 | 3.366 | 107.34 | 3.366 | - | - | | | | |
| 63.200 | 4.000 | 107.78 | 3.155 | 107.78 | 3.155 | - | - | | | | |
| 63.400 | 4.000 | 108.24 | 3.411 | 108.24 | 3.411 | - | - | | | | |
| 63.600 | 4.000 | 108.78 | 3.158 | 108.78 | 3.158 | - | - | | | | |
| 63.800 | 4.000 | 109.30 | 3.009 | 109.30 | 3.009 | 109.30 | 3.009 | | | | |
| 64.000 | 4.000 | 109.76 | 3.163 | 109.76 | 3.163 | 109.76 | 3.163 | | | | |
| 64.200 | 4.000 | 110.10 | 3.270 | - | - | 110.10 | 3.270 | | | | |
| 64.400 | 4.000 | 110.37 | 3.111 | - | - | 110.37 | 3.111 | | | | |
| 64.600 | 4.000 | 110.68 | 3.403 | 110.68 | 3.403 | 110.68 | 3.403 | | | | |
| 64.800 | 3.800 | 110.99 | 3.076 | 110.99 | 3.076 | 110.99 | 3.076 | | | | |
| 65.000 | 3.800 | 111.42 | 3.222 | 111.42 | 3.222 | 111.42 | 3.222 | | | | |
| 65.200 | 3.800 | 111.80 | 3.261 | 111.80 | 3.261 | 111.80 | 3.261 | | | | |
| 65.400 | 3.800 | 112.19 | 3.163 | 112.19 | 3.163 | 112.19 | 3.163 | | | | |
| 65.600 | 3.800 | 112.57 | 3.166 | - | - | 112.57 | 3.166 | | | | |
| 65.800 | 3.800 | 113.04 | 2.945 | - | - | 113.04 | 2.945 | | | | |
| 66.000 | 3.800 | 113.48 | 3.109 | - | - | 113.48 | 3.109 | | | | |
| 66.200 | 3.800 | 113.89 | 3.198 | - | - | 113.89 | 3.198 | | | | |
| 66.400 | 3.800 | 114.25 | 3.456 | 114.25 | 3.456 | 114.25 | 3.456 | | | | |
| 66.600 | 2.700 | 114.63 | 2.310 | - | - | - | - | | | | |
| 66.800 | 2.700 | 115.06 | 2.235 | 115.06 | 2.235 | - | - | | | | |
| 67.000 | 2.700 | 115.53 | 2.012 | 115.53 | 2.012 | - | - | | | | |
| 67.200 | 2.700 | 116.00 | 2.466 | 116.00 | 2.466 | - | - | | | | |
| 67.400 | 2.700 | 116.29 | 2.575 | 116.29 | 2.575 | - | - | | | | |
| 67.600 | 2.700 | 116.72 | 2.674 | 116.72 | 2.674 | - | - | | | | |
| 67.800 | 2.700 | 117.06 | 2.750 | 117.06 | 2.750 | - | - | | | | |
| 68.000 | 2.700 | 117.38 | 2.698 | 117.38 | 2.698 | - | - | | | | |
| 68.200 | 2.700 | 117.71 | 3.120 | 117.71 | 3.120 | - | - | | | | |
| 68.400 | 2.700 | 118.06 | 3.236 | 118.06 | 3.236 | - | - | | | | |
| 68.600 | 2.700 | 118.48 | 3.285 | 118.48 | 3.285 | - | - | | | | |
| 68.800 | 2.700 | 118.91 | 3.377 | 118.91 | 3.377 | - | - | | | | |
| 69.000 | 2.700 | 119.33 | 3.115 | 119.33 | 3.115 | - | - | | | | |
| 69.200 | 2.700 | 119.79 | 3.238 | 119.79 | 3.238 | 119.79 | 3.238 | | | | |
| 69.400 | 2.700 | 120.23 | 3.392 | 120.23 | 3.392 | 120.23 | 3.392 | | | | |
| 69.600 | 2.700 | 120.61 | 3.514 | 120.61 | 3.514 | 120.61 | 3.514 | | | | |
| 69.800 | 2.700 | 120.98 | 3.654 | 120.98 | 3.654 | 120.98 | 3.654 | | | | |
| 70.000 | 2.700 | 121.33 | 4.081 | 121.33 | 4.081 | 121.33 | 4.081 | | | | |
| 70.200 | 2.700 | 121.71 | 4.027 | 121.71 | 4.027 | 121.71 | 4.027 | | | | |
| 70.400 | 2.700 | 122.08 | 3.955 | 122.08 | 3.955 | 122.08 | 3.955 | | | | |
| 70.600 | 2.700 | 122.58 | 4.064 | 122.58 | 4.064 | 122.58 | 4.064 | | | | |
| 70.800 | 2.700 | 122.94 | 4.206 | 122.94 | 4.206 | 122.94 | 4.206 | | | | |
| 71.000 | 2.700 | 123.35 | 4.463 | 123.35 | 4.463 | 123.35 | 4.463 | | | | |
| 71.200 | 2.700 | 123.85 | 4.132 | 123.85 | 4.132 | 123.85 | 4.132 | | | | |
| 71.400 | 2.400 | 124.31 | 4.231 | 124.31 | 4.231 | 124.31 | 4.231 | | | | |
| 71.600 | 2.400 | 124.84 | 4.399 | 124.84 | 4.399 | 124.84 | 4.399 | | | | |
| 71.800 | 2.400 | 125.36 | 4.727 | 125.36 | 4.727 | 125.36 | 4.727 | | | | |
| 72.000 | 2.400 | 125.87 | 4.304 | 125.87 | 4.304 | 125.87 | 4.304 | | | | |
| 72.200 | 2.400 | 126.20 | 4.388 | 126.20 | 4.388 | 126.20 | 4.388 | | | | |
| 72.400 | 2.400 | 126.55 | 4.575 | 126.55 | 4.575 | 126.55 | 4.575 | | | | |
| 72.600 | 2.400 | 126.87 | 5.562 | 126.87 | 5.562 | 126.87 | 5.562 | | | | |
| 72.800 | 2.400 | 127.24 | 4.481 | 127.24 | 4.481 | 127.24 | 4.481 | | | | |
| 73.000 | 2.400 | 127.58 | 5.062 | 127.58 | 5.062 | 127.58 | 5.062 | | | | |
| 73.200 | 2.400 | 127.98 | 5.144 | 127.98 | 5.144 | 127.98 | 5.144 | | | | |
| 73.400 | 2.400 | 128.60 | 6.062 | 128.60 | 6.062 | 128.60 | 6.062 | | | | |
| 73.600 | 2.400 | 129.20 | 5.468 | 129.20 | 5.468 | 129.20 | 5.468 | | | | |
| 73.800 | 2.400 | 129.61 | 4.178 | 129.61 | 4.178 | 129.61 | 4.178 | | | | |
| 74.000 | 2.400 | 130.15 | 4.387 | 130.15 | 4.387 | 130.15 | 4.387 | | | | |
| 74.200 | 2.400 | 130.77 | 4.319 | 130.77 | 4.319 | 130.77 | 4.319 | | | | |
| 74.400 | 2.400 | 131.19 | 4.003 | 131.19 | 4.003 | 131.19 | 4.003 | | | | |
| 74.600 | 2.400 | 131.62 | 4.968 | 131.62 | 4.968 | 131.62 | 4.968 | | | | |
| 74.800 | 2.400 | 132.20 | 4.059 | 132.20 | 4.059 | 132.20 | 4.059 | | | | |
| 75.000 | 2.400 | 132.71 | 2.814 | 132.71 | 2.814 | 132.71 | 2.814 | | | | |
| 75.200 | 2.400 | 133.22 | 2.569 | 133.22 | 2.569 | 133.22 | 2.569 | | | | |
| 75.400 | 2.400 | 133.78 | 2.046 | 133.78 | 2.046 | 133.78 | 2.046 | | | | |
| 75.600 | 2.400 | 134.28 | 1.738 | 134.28 | 1.738 | 134.28 | 1.738 | | | | |
| 75.800 | 2.400 | 134.73 | 1.556 | 134.73 | 1.556 | - | - | | | | |
| 76.000 | 2.400 | 135.41 | 1.628 | 135.41 | 1.628 | 135.41 | 1.628 | | | | |
| 76.200 | 2.400 | 135.95 | 1.507 | 135.95 | 1.507 | 135.95 | 1.507 | | | | |
| 76.400 | 2.000 | 136.63 | 1.649 | 136.63 | 1.649 | 136.63 | 1.649 | | | | |
| 76.600 | 2.000 | 137.13 | 1.656 | 137.13 | 1.656 | 137.13 | 1.656 | | | | |
| 76.800 | 2.000 | 137.58 | 2.084 | 137.58 | 2.084 | 137.58 | 2.084 | | | | |
| 77.000 | 2.000 | 138.13 | 1.886 | 138.13 | 1.886 | 138.13 | 1.886 | | | | |
| 77.200 | 2.000 | 138.71 | 2.288 | 138.71 | 2.288 | 138.71 | 2.288 | | | | |
| 77.400 | 2.000 | 139.17 | 2.112 | 139.17 | 2.112 | 139.17 | 2.112 | | | | |
| 77.600 | 2.000 | 139.59 | 2.248 | 139.59 | 2.248 | 139.59 | 2.248 | | | | |
| 77.800 | 2.000 | 140.14 | 2.285 | 140.14 | 2.285 | 140.14 | 2.285 | | | | |
| 78.000 | 2.000 | 140.69 | 2.215 | 140.69 | 2.215 | 140.69 | 2.215 | | | | |
| 78.200 | 2.000 | 141.21 | 2.276 | 141.21 | 2.276 | 141.21 | 2.276 | | | | |
| 78.400 | 2.000 | 142.78 | 2.137 | 142.78 | 2.137 | 142.78 | 2.137 | | | | |
| 78.600 | 2.000 | 143.08 | 1.899 | 143.08 | 1.899 | 143.08 | 1.899 | | | | |
| 78.800 | 2.000 | 143.42 | 1.526 | 143.42 | 1.526 | - | - | | | | |

●球磨川では河川整備計画が定まっていないため、この資料は実施してきた事業あるいは当面実施予定の事業の効果の確認などに用いる値をまとめたものであり、あくまで参考資料である。

球磨川の現況流下能力算定表

| 距離標 | 計画高水流量 | 計画高水位 | 計画高水位 流下能力 | 現況流下能力 | | | | スライド堤防高-余裕高 | | | |
|--------|--------|--------|---------------|--------|-------|--------|-------|-------------|------|-----|------|
| | | | | 左岸 | | 右岸 | | 左岸 | | 右岸 | |
| | | | | 評価高 | 流下能力 | 評価高 | 流下能力 | 評価高 | 流下能力 | 評価高 | 流下能力 |
| 79.000 | 2,000 | 143.71 | 1,704 | 143.71 | 1,704 | 143.71 | 1,704 | | | | |
| 79.200 | 2,000 | 144.12 | 1,799 | 144.12 | 1,799 | - | - | | | | |
| 79.400 | 2,000 | 144.74 | 1,761 | 144.74 | 1,761 | - | - | | | | |
| 79.600 | 2,000 | 145.11 | 1,712 | 145.11 | 1,712 | - | - | | | | |
| 79.800 | 2,000 | 145.47 | 1,662 | 145.47 | 1,662 | - | - | | | | |
| 80.000 | 2,000 | 145.85 | 1,884 | 145.85 | 1,884 | 145.85 | 1,884 | | | | |
| 80.200 | 2,000 | 146.42 | 1,959 | 146.42 | 1,959 | 146.42 | 1,959 | | | | |
| 80.400 | 2,000 | 146.91 | 1,663 | 146.91 | 1,663 | 146.91 | 1,663 | | | | |
| 80.600 | 2,000 | 147.49 | 1,569 | 147.49 | 1,569 | 147.49 | 1,569 | | | | |
| 80.800 | 2,000 | 147.93 | 1,567 | 147.93 | 1,567 | 147.93 | 1,567 | | | | |
| 81.000 | 2,000 | 148.60 | 1,858 | 148.60 | 1,858 | 148.60 | 1,858 | | | | |
| 81.200 | 2,000 | 149.22 | 2,006 | 149.22 | 2,006 | 149.22 | 2,006 | | | | |
| 81.400 | 2,000 | 149.86 | 2,125 | 149.86 | 2,125 | 149.86 | 2,125 | | | | |
| 81.600 | 2,000 | 150.51 | 2,345 | 150.51 | 2,345 | 150.51 | 2,345 | | | | |
| 81.800 | 2,000 | 151.15 | 2,641 | 151.15 | 2,641 | - | - | | | | |
| 82.000 | 2,000 | 151.76 | 1,527 | 151.76 | 1,527 | - | - | | | | |
| 82.200 | 2,000 | 152.48 | 1,873 | 152.48 | 1,873 | 152.48 | 1,873 | | | | |
| 82.400 | 2,000 | 153.14 | 2,073 | 153.14 | 2,073 | - | - | | | | |
| 82.600 | 2,000 | 153.86 | 1,711 | 153.86 | 1,711 | - | - | | | | |
| 82.800 | 2,000 | 154.56 | 1,855 | 154.56 | 1,855 | - | - | | | | |
| 83.000 | 2,000 | 155.25 | 1,633 | 155.25 | 1,633 | - | - | | | | |
| 83.200 | 1,500 | 155.88 | 1,351 | 155.88 | 1,351 | 155.88 | 1,351 | | | | |
| 83.400 | 1,500 | 156.47 | 1,457 | 156.47 | 1,457 | 156.47 | 1,457 | | | | |
| 83.600 | 1,500 | 157.13 | 1,038 | 157.13 | 1,038 | 157.13 | 1,038 | | | | |
| 83.800 | 1,500 | 157.76 | 1,276 | 157.76 | 1,276 | 157.76 | 1,276 | | | | |
| 84.000 | 1,500 | 158.39 | 1,392 | 158.39 | 1,392 | 158.39 | 1,392 | | | | |
| 84.200 | 1,500 | 159.07 | 1,329 | 159.07 | 1,329 | 159.07 | 1,329 | | | | |
| 84.400 | 1,500 | 159.73 | 1,356 | 159.73 | 1,356 | 159.73 | 1,356 | | | | |
| 84.600 | 1,500 | 160.32 | 1,186 | 160.32 | 1,186 | 160.32 | 1,186 | | | | |
| 84.800 | 1,500 | 161.02 | 1,310 | 161.02 | 1,310 | 161.02 | 1,310 | | | | |
| 85.000 | 1,500 | 161.68 | 1,324 | 161.68 | 1,324 | 161.68 | 1,324 | | | | |
| 85.200 | 1,500 | 162.34 | 1,142 | 162.34 | 1,142 | 162.34 | 1,142 | | | | |
| 85.400 | 1,500 | 165.92 | 2,639 | 164.57 | 1,845 | 164.49 | 1,796 | | | | |
| 85.600 | 1,500 | 166.80 | 1,748 | 164.95 | 927 | 164.93 | 920 | | | | |
| 85.800 | 1,500 | 167.66 | 1,933 | 164.97 | 772 | 163.97 | 538 | | | | |
| 86.000 | 1,500 | 168.61 | 2,045 | 166.25 | 951 | 165.54 | 678 | | | | |
| 86.200 | 1,500 | 169.40 | 1,926 | 169.40 | 1,926 | 166.23 | 617 | | | | |
| 86.400 | 1,500 | 170.38 | 2,507 | 170.38 | 2,507 | - | - | | | | |
| 86.600 | 1,500 | 172.28 | 2,872 | 172.28 | 2,872 | 171.79 | 2,204 | | | | |
| 86.800 | 1,500 | 172.82 | 2,171 | - | - | 171.58 | 1,260 | | | | |
| 87.000 | 1,500 | 173.36 | 1,723 | - | - | 172.38 | 1,240 | | | | |
| 87.200 | 1,500 | 173.88 | 1,416 | 173.88 | 1,416 | 173.88 | 1,416 | | | | |
| 87.400 | 1,500 | 174.39 | 1,440 | 174.39 | 1,440 | - | - | | | | |
| 87.600 | 1,500 | 175.03 | 1,402 | 175.03 | 1,402 | - | - | | | | |
| 87.800 | 1,500 | 175.58 | 1,666 | 175.58 | 1,666 | - | - | | | | |
| 88.000 | 1,500 | 176.08 | 1,255 | - | - | - | - | | | | |
| 88.200 | 1,500 | 177.09 | 1,420 | 177.09 | 1,420 | 174.77 | 566 | | | | |
| 88.400 | 1,500 | 178.13 | 1,228 | 178.13 | 1,228 | 176.33 | 563 | | | | |
| 88.600 | 1,500 | 179.19 | 1,209 | 179.19 | 1,209 | 179.19 | 1,209 | | | | |
| 88.800 | 1,500 | 180.12 | 1,136 | 180.12 | 1,136 | 180.12 | 1,136 | | | | |
| 89.000 | 1,000 | 181.18 | 801 | 180.86 | 714 | 180.95 | 738 | | | | |
| 89.200 | 1,000 | 182.06 | 853 | - | - | 182.06 | 853 | | | | |
| 89.400 | 1,000 | 183.00 | 866 | 182.84 | 794 | 182.44 | 636 | | | | |
| 89.600 | 1,000 | 184.05 | 698 | 183.93 | 663 | 183.89 | 652 | | | | |
| 89.800 | 1,000 | 185.14 | 643 | 185.14 | 643 | 185.14 | 643 | | | | |
| 90.000 | 1,000 | 186.10 | 746 | 186.10 | 746 | 186.10 | 746 | | | | |
| 90.200 | 1,000 | 187.15 | 660 | 187.15 | 660 | 187.15 | 660 | | | | |
| 90.400 | 1,000 | 188.20 | 638 | 188.20 | 638 | 188.20 | 638 | | | | |
| 90.600 | 1,000 | 189.25 | 539 | - | - | - | - | | | | |
| 90.800 | 1,000 | 190.90 | 760 | 190.90 | 760 | 190.90 | 760 | | | | |
| 91.000 | 1,000 | 192.61 | 648 | 192.61 | 648 | - | - | | | | |
| 91.200 | 1,000 | 193.85 | 689 | 193.85 | 689 | - | - | | | | |
| 91.400 | 1,000 | 195.60 | 861 | - | - | - | - | | | | |
| 91.600 | 1,000 | 196.96 | 864 | - | - | - | - | | | | |
| 91.800 | 1,000 | 198.62 | 1,002 | - | - | - | - | | | | |

●球磨川では河川整備計画が定まっていないため、この資料は実施してきた事業あるいは当面実施予定の事業の効果の確認などに用いる値をまとめたものであり、あくまで参考資料である。